

# CORACIAS AFRICANA.



## CHARACTER GENERICUS.

*Rostrum* cultratum apice incurvato, basi pennis denudatum.

*Lingua* cartilaginea, bifida.

*Pedes* ambulatorii.

*Lin. Syst. Nat.* p. 159.

## CHARACTER SPECIFICUS, &c.

CORACIAS ferruginea, subtus cæruleo-purpurea, remigibus cyaneis, rectricibus thalassiniis apice cyaneo-nigricantibus.

Coracias Afra. C. testaceo-rubra, subtus pureo-rubescens, criffo cæruleo-viridi, remigibus rectricibusque cæruleis, apice nigricantibus.

*Lath. ind. orn.* p. 172.

---

Africana esse creditur rarissima avis, cuius veram magnitudinem tertia parte deminutam in tabula depinximus. Facie seu habitu generali, cum rostrum sit latissimum, breve, et validum, simillima est Coraciæ tum Madagascariensi tum Orientali, a quibus tamen discrepat coloribus. In Museo Britannico asservatur specimen unde iconem hanc nostram delineari curavimus.







8. 42

London, established Oct 1<sup>st</sup> 1724.

by T. & A. Newbold: Newman Street

THE  
AFRICAN ROLLER.



*GENERIC CHARACTER.*

*Bill* strait, bending a little towards the end; culminated at the edges.

*Nostrils* narrow; naked.

*Legs* generally short: toes divided to their origin; three forwards and one backwards.

*SPECIFIC CHARACTER, &c.*

Ferruginous ROLLER, lilac-coloured beneath; with blue wing-feathers and sea-green tail tipped with black.

AFRICAN ROLLER.

*Lath. syn. suppl.* p. 86.

---

This extremely rare bird is supposed to be a native of Africa, and is preserved in the British Museum. It is nearly allied to the Oriental and Madagascar Rollers, having a remarkably broad, short, and strong beak; but differs in color from both those birds. The plate represents it about a third less than the natural size.